Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP AMENDMENT
DETERMINATION DOCUMENT (REMOVAL)

COMMUNITY AND MAP PANEL INFORMATION		LEGAL PROPERTY DESCRIPTION
COMMUNITY	CITY OF FORT MYERS, LEE COUNTY, FLORIDA	All of lots 1 through 8, 78 through 121, 134 through 141, 158, 159 and Tract A, 179 through 197, 233 and 234; A portion of Lots 9 through 29, 122 through 133, 142 through 157, 160 through 165, and 198 through 203, Castalina Subdivision, as shown on the Plat recorded as Instrument No. 2018000043406, in the Office of the Clerk of Circuit Court, Lee County, Florida
	COMMUNITY NO.: 125106	
AFFECTED MAP PANEL	NUMBER: 12071C0427G	The portion of property is more particularly described by the following metes and bounds:
	DATE: 12/7/2018	
FLOODING SOURCE: PONDING		APPROXIMATE LATITUDE & LONGITUDE OF PROPERTY:26.603403, -81.837718 SOURCE OF LAT & LONG: LOMA LOGIC DATUM: NAD 83

DETERMINATION

LOT	BLOCK/ SECTION	SUBDIVISION	STREET	OUTCOME WHAT IS REMOVED FROM THE SFHA	FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION (NAVD 88)	LOWEST ADJACENT GRADE ELEVATION (NAVD 88)	LOWEST LOT ELEVATION (NAVD 88)
--	--	Castalina	--	Portion of Property (1.60 Ac.)	X (shaded)	--	--	17.5 feet

Special Flood Hazard Area (SFHA) - The SFHA is an area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood).

ADDITIONAL CONSIDERATIONS (Please refer to the appropriate section on Attachment 1 for the additional considerations listed below.)

LEGAL PROPERTY DESCRIPTION
DETERMINATION TABLE (CONTINUED)
PORTIONS REMAIN IN THE SFHA

This document provides the Federal Emergency Management Agency's determination regarding a request for a Letter of Map Amendment for the property described above. Using the information submitted and the effective National Flood Insurance Program (NFIP) map, we have determined that the described portion(s) of the property(ies) is/are not located in the SFHA, an area inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood). This document amends the effective NFIP map to remove the subject property from the SFHA located on the effective NFIP map; therefore, the Federal mandatory flood insurance requirement does not apply. However, the lender has the option to continue the flood insurance requirement to protect its financial risk on the loan. A Preferred Risk Policy (PRP) is available for buildings located outside the SFHA. Information about the PRP and how one can apply is enclosed.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Information eXchange (FMIX) toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, Engineering Library, 3601 Eisenhower Ave Ste 500, Alexandria, VA 22304-6426.

Luis V. Rodriguez, P.E., Director
Engineering and Modeling Division
Federal Insurance and Mitigation Administration

Federal Emergency Management Agency
Washington, D.C. 20472

LETTER OF MAP AMENDMENT
DETERMINATION DOCUMENT (REMOVAL)

ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

LEGAL PROPERTY DESCRIPTION (CONTINUED)

LOTS 9-29 (3.45 Acres): BEGINNING at the Northwest corner of said Lot 9 run N88°59'05"E along the Northerly line of said Lot 9 for 140.50 feet; thence run S01°00'55"E for 1,070.20 feet to an intersection with the Southerly line of said Lot 29; thence run S88°59'05"W along said Southerly line for 140.52 feet to an intersection with the Easterly line of Tract "R-1" of said record plat; thence run along said Easterly line the following two (2) courses: Northerly along an arc of a curve to the left of radius 172.50 feet (delta 00°45'41") (chord bearing N00°38'05"W) (chord 2.29 feet) for 2.29 feet to a point of tangency and N01°00'55"W for 1,067.91 feet to the POINT OF BEGINNING.

Lots 122-133, Lots 160 and 161 (2.39 Acres): BEGINNING at the Northwest corner of said Lot 160 run along the Northerly, Easterly and Southerly line of Tract "R-1" of said record plat the following five (5) courses: Easterly along an arc of a curve to the left of radius 3,201.79 feet (delta 04°35'45") (chord bearing N77°29'18"E) (chord 256.75 feet) for 256.82 feet to a point of reverse curvature; Southeasterly along an arc of a curve to the right of radius 20.00 feet (delta 103°47'40") (chord bearing S52°54'45"E) (chord 31.48 feet) for 36.23 feet to a point of tangency; S01°00'55"E for 527.70 feet to a point of curvature; Southwesterly along an arc of a curve to the right of radius 20.00 feet (delta 90°00'00") (chord bearing S43°59'05"W) (chord 28.28 feet) for 31.42 feet to a point of tangency and S88°59'05"W for 248.64 feet to the Southwest corner of said Lot 133; thence run N01°00'55"W along the Westerly line of said Lot 133 for 120.50 feet; thence run N88°59'05"E for 99.64 feet to a point of curvature; thence run Northeasterly along an arc of a curve to the left of radius 50.00 feet (delta 90°00'00") (chord bearing N43°59'05"E) (chord 70.71 feet) for 78.54 feet to a point of tangency; thence run N01°00'55"W for 189.58 feet to a point of curvature; thence run Northwesterly along an arc of a curve to the left of radius 50.00 feet (delta 100°34'32") (chord bearing N51°18'11"W) (chord 76.93 feet) for 87.77 feet to a point of reverse curvature; thence run Westerly along an arc of a curve to the right of radius 3,323.79 feet (delta 01°22'37") (chord bearing S79°05'52"W) (chord 79.87 feet) for 79.87 feet to an intersection with the Westerly line of said Lot 160; thence run N10°12'50"W along said Westerly line for 122.00 feet to the POINT OF BEGINNING

Lots 142-157 (1.89 Acres): BEGINNING at the Northeast corner of said Lot 157 run S04°35'55"E along the Easterly line of said Lot 157 for 122.00 feet to a point on a radial curve; thence run Westerly along an arc of a curve to the right of radius 3,323.79 feet (delta 02°02'23") (chord bearing S86°25'16"W) (chord 118.32 feet) for 118.33 feet to a point of reverse curvature; thence run Southwesterly along an arc of a curve to the left of radius 30.00 feet (delta 87°42'36") (chord bearing S43°35'10"W) (chord 41.57 feet) for 45.92 feet to a point of reverse curvature; thence run Southerly along an arc of a curve to the right of radius 1,599.00 feet (delta 05°43'28") (chord bearing S02°35'37"W) (chord 159.69 feet) for 159.76 feet to a point of reverse curvature; thence run Southeasterly along an arc of a curve to the left of radius 40.00 feet (delta 96°28'16") (chord bearing S42°46'47"E) (chord 59.67 feet) for 67.35 feet to a point of tangency; thence run N88°59'05"E for 27.91 feet to an intersection with the Easterly line of said Lot 142; thence run S01°00'55"E along said Easterly line for 120.50 feet to an intersection with the Northerly line of Tract "R-1" of said record plat; thence run S88°59'05"W along

Luis V. Rodriguez, P.E., Director
Engineering and Modeling Division
Federal Insurance and Mitigation Administration

Federal Emergency Management Agency
Washington, D.C. 20472

LETTER OF MAP AMENDMENT
DETERMINATION DOCUMENT (REMOVAL)

ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

said Northerly line for 67.82 feet to the Southeast corner of Tract “O-5” of said record plat; thence run along the Easterly and Northerly line of said Tract “O-5” the following two (2) courses: N06°59'08"E for 14.65 feet and N83°00'52"W for 144.18 feet to a point on a non-tangent curve and an intersection with the Easterly line of Tract “R-1” of said record plat; thence run along the Easterly and Southerly line of said Tract “R-1” the following seven (7) courses: Northerly along an arc of a curve to the right of radius 77.50 feet (delta 02°17'12") (chord bearing N05°50'32"E) (chord 3.09 feet) for 3.09 feet to a point of tangency; N06°59'08"E for 102.99 feet to a point of curvature; Northerly along an arc of a curve to the left of radius 1,477.00 feet (delta 08°01'55") (chord bearing N02°58'10"E) (chord 206.88 feet) for 207.05 feet to a point of tangency; N01°02'47"W for 108.41 feet to a point of curvature; Northeasterly along an arc of a curve to the right of radius 20.00 feet (delta 89°39'48") (chord bearing N43°47'07"E) (chord 28.20 feet) for 31.30 feet to a point of tangency; N88°37'00"E for 62.27 feet to a point of curvature and Easterly along an arc of a curve to the left of radius 3,201.79 feet (delta 03°12'55") (chord bearing N87°00'33"E) (chord 179.66 feet) for 179.68 feet to the POINT OF BEGINNING

Lots 162-165 and Lots 198-203 (1.60 Acres): BEGINNING at the Northwest corner of said Lot 198 run along the Southerly and Westerly line of line Tract “R-1” of said record plat the following three (3) courses: N88°59'05"E for 304.32 feet to a point of curvature; Southeasterly along an arc of a curve to the right of radius 20.00 feet (delta 90°00'00") (chord bearing S46°00'55"E) (chord 28.28 feet) for 31.42 feet to a point of tangency and S01°00'55"E for 328.80 feet to the Southeast corner of said Lot 165; thence run S88°59'05"W along the Southerly line of said Lot 165 for 148.82 feet to a point on a non-tangent curve; thence run Northeasterly along an arc of a curve to the left of radius 50.00 feet (delta 57°44'49") (chord bearing N27°51'29"E) (chord 48.29 feet) for 50.39 to a point of tangency; thence run N01°00'55"W for 130.72 feet to a point of curvature; thence run Northwesterly along an arc of a curve to the left of radius 50.00 feet (delta 90°00'00") (chord bearing N46°00'55"W) (chord 70.71 feet) for 78.54 feet to a point of tangency; thence run S88°59'05"W for 148.82 feet to an intersection with the Westerly line of said Lot 198; thence run N01°00'55"W along said Westerly line for 125.80 feet to the POINT OF BEGINNING

DETERMINATION TABLE (CONTINUED)

LOT	BLOCK/ SECTION	SUBDIVISION	STREET	**OUTCOME** WHAT IS REMOVED FROM THE SFHA	FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION (NAVD 88)	LOWEST ADJACENT GRADE ELEVATION (NAVD 88)	LOWEST LOT ELEVATION (NAVD 88)
--	--	Castalina	--	Portion of Property (2.39 Ac.)	X (shaded)	--	--	17.5 feet
142-157	--	Castalina	--	Portion of Property (1.89 Ac.)	X (shaded)	--	--	17.5 feet

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the FEMA Map Information eXchange (FMIX) toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, Engineering Library, 3601 Eisenhower Ave Ste 500, Alexandria, VA 22304-6426.

Luis V. Rodriguez, P.E., Director
Engineering and Modeling Division
Federal Insurance and Mitigation Administration

Federal Emergency Management Agency
Washington, D.C. 20472

LETTER OF MAP AMENDMENT
DETERMINATION DOCUMENT (REMOVAL)

ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

LOT	BLOCK/ SECTION	SUBDIVISION	STREET	**OUTCOME** WHAT IS REMOVED FROM THE SFHA	FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION (NAVD 88)	LOWEST ADJACENT GRADE ELEVATION (NAVD 88)	LOWEST LOT ELEVATION (NAVD 88)
9-29	--	Castalina	--	Portion of Property (3.45 Ac.)	X (shaded)	--	--	17.5 feet

PORTIONS OF THE PROPERTY REMAIN IN THE SFHA (This Additional Consideration applies to the preceding 4 Properties.)

Portions of this property, but not the subject of the Determination/Comment document, may remain in the Special Flood Hazard Area. Therefore, any future construction or substantial improvement on the property remains subject to Federal, State/Commonwealth, and local regulations for floodplain management.

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the FEMA Map Information eXchange (FMIX) toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, Engineering Library, 3601 Eisenhower Ave Ste 500, Alexandria, VA 22304-6426.

Luis V. Rodriguez, P.E., Director
Engineering and Modeling Division
Federal Insurance and Mitigation Administration

Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP AMENDMENT
DETERMINATION DOCUMENT (REMOVAL)

COMMUNITY AND MAP PANEL INFORMATION		LEGAL PROPERTY DESCRIPTION
COMMUNITY	CITY OF FORT MYERS, LEE COUNTY, FLORIDA	All of lots 1 through 8, 78 through 121, 134 through 141, 158, 159 and Tract A, 179 through 197, 233 and 234; A portion of Lots 9 through 29, 122 through 133, 142 through 157, 160 through 165, and 198 through 203, Castalina Subdivision, as shown on the Plat recorded as Instrument No. 2018000043406, in the Office of the Clerk of Circuit Court, Lee County, Florida
	COMMUNITY NO.: 125106	
AFFECTED MAP PANEL	NUMBER: 12071C0427G	The portion of property is more particularly described by the following metes and bounds:
	DATE: 12/7/2018	
FLOODING SOURCE: PONDING		APPROXIMATE LATITUDE & LONGITUDE OF PROPERTY:26.603403, -81.837718 SOURCE OF LAT & LONG: LOMA LOGIC DATUM: NAD 83

DETERMINATION

LOT	BLOCK/ SECTION	SUBDIVISION	STREET	OUTCOME WHAT IS REMOVED FROM THE SFHA	FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION (NAVD 88)	LOWEST ADJACENT GRADE ELEVATION (NAVD 88)	LOWEST LOT ELEVATION (NAVD 88)
1-8	--	Castalina	--	Property	X (shaded)	--	--	17.5 feet

Special Flood Hazard Area (SFHA) - The SFHA is an area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood).

ADDITIONAL CONSIDERATIONS (Please refer to the appropriate section on Attachment 1 for the additional considerations listed below.)

LEGAL PROPERTY DESCRIPTION
DETERMINATION TABLE (CONTINUED)

This document provides the Federal Emergency Management Agency's determination regarding a request for a Letter of Map Amendment for the property described above. Using the information submitted and the effective National Flood Insurance Program (NFIP) map, we have determined that the property(ies) is/are not located in the SFHA, an area inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood). This document amends the effective NFIP map to remove the subject property from the SFHA located on the effective NFIP map; therefore, the Federal mandatory flood insurance requirement does not apply. However, the lender has the option to continue the flood insurance requirement to protect its financial risk on the loan. A Preferred Risk Policy (PRP) is available for buildings located outside the SFHA. Information about the PRP and how one can apply is enclosed.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Information eXchange (FMIX) toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, Engineering Library, 3601 Eisenhower Ave Ste 500, Alexandria, VA 22304-6426.

Luis V. Rodriguez, P.E., Director
Engineering and Modeling Division
Federal Insurance and Mitigation Administration

Federal Emergency Management Agency
Washington, D.C. 20472

LETTER OF MAP AMENDMENT
DETERMINATION DOCUMENT (REMOVAL)

ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

LEGAL PROPERTY DESCRIPTION (CONTINUED)

LOTS 9-29 (3.45 Acres): BEGINNING at the Northwest corner of said Lot 9 run N88°59'05"E along the Northerly line of said Lot 9 for 140.50 feet; thence run S01°00'55"E for 1,070.20 feet to an intersection with the Southerly line of said Lot 29; thence run S88°59'05"W along said Southerly line for 140.52 feet to an intersection with the Easterly line of Tract "R-1" of said record plat; thence run along said Easterly line the following two (2) courses: Northerly along an arc of a curve to the left of radius 172.50 feet (delta 00°45'41") (chord bearing N00°38'05"W) (chord 2.29 feet) for 2.29 feet to a point of tangency and N01°00'55"W for 1,067.91 feet to the POINT OF BEGINNING.

Lots 122-133, Lots 160 and 161 (2.39 Acres): BEGINNING at the Northwest corner of said Lot 160 run along the Northerly, Easterly and Southerly line of Tract "R-1" of said record plat the following five (5) courses: Easterly along an arc of a curve to the left of radius 3,201.79 feet (delta 04°35'45") (chord bearing N77°29'18"E) (chord 256.75 feet) for 256.82 feet to a point of reverse curvature; Southeasterly along an arc of a curve to the right of radius 20.00 feet (delta 103°47'40") (chord bearing S52°54'45"E) (chord 31.48 feet) for 36.23 feet to a point of tangency; S01°00'55"E for 527.70 feet to a point of curvature; Southwesterly along an arc of a curve to the right of radius 20.00 feet (delta 90°00'00") (chord bearing S43°59'05"W) (chord 28.28 feet) for 31.42 feet to a point of tangency and S88°59'05"W for 248.64 feet to the Southwest corner of said Lot 133; thence run N01°00'55"W along the Westerly line of said Lot 133 for 120.50 feet; thence run N88°59'05"E for 99.64 feet to a point of curvature; thence run Northeasterly along an arc of a curve to the left of radius 50.00 feet (delta 90°00'00") (chord bearing N43°59'05"E) (chord 70.71 feet) for 78.54 feet to a point of tangency; thence run N01°00'55"W for 189.58 feet to a point of curvature; thence run Northwesterly along an arc of a curve to the left of radius 50.00 feet (delta 100°34'32") (chord bearing N51°18'11"W) (chord 76.93 feet) for 87.77 feet to a point of reverse curvature; thence run Westerly along an arc of a curve to the right of radius 3,323.79 feet (delta 01°22'37") (chord bearing S79°05'52"W) (chord 79.87 feet) for 79.87 feet to an intersection with the Westerly line of said Lot 160; thence run N10°12'50"W along said Westerly line for 122.00 feet to the POINT OF BEGINNING

Lots 142-157 (1.89 Acres): BEGINNING at the Northeast corner of said Lot 157 run S04°35'55"E along the Easterly line of said Lot 157 for 122.00 feet to a point on a radial curve; thence run Westerly along an arc of a curve to the right of radius 3,323.79 feet (delta 02°02'23") (chord bearing S86°25'16"W) (chord 118.32 feet) for 118.33 feet to a point of reverse curvature; thence run Southwesterly along an arc of a curve to the left of radius 30.00 feet (delta 87°42'36") (chord bearing S43°35'10"W) (chord 41.57 feet) for 45.92 feet to a point of reverse curvature; thence run Southerly along an arc of a curve to the right of radius 1,599.00 feet (delta 05°43'28") (chord bearing S02°35'37"W) (chord 159.69 feet) for 159.76 feet to a point of reverse curvature; thence run Southeasterly along an arc of a curve to the left of radius 40.00 feet (delta 96°28'16") (chord bearing S42°46'47"E) (chord 59.67 feet) for 67.35 feet to a point of tangency; thence run N88°59'05"E for 27.91 feet to an intersection with the Easterly line of said Lot 142; thence run S01°00'55"E along said Easterly line for 120.50 feet to an intersection with the Northerly line of Tract "R-1" of said record plat; thence run S88°59'05"W along

Luis V. Rodriguez, P.E., Director
Engineering and Modeling Division
Federal Insurance and Mitigation Administration

Federal Emergency Management Agency
Washington, D.C. 20472

LETTER OF MAP AMENDMENT
DETERMINATION DOCUMENT (REMOVAL)

ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

said Northerly line for 67.82 feet to the Southeast corner of Tract “O-5” of said record plat; thence run along the Easterly and Northerly line of said Tract “O-5” the following two (2) courses: N06°59'08"E for 14.65 feet and N83°00'52"W for 144.18 feet to a point on a non-tangent curve and an intersection with the Easterly line of Tract “R-1” of said record plat; thence run along the Easterly and Southerly line of said Tract “R-1” the following seven (7) courses: Northerly along an arc of a curve to the right of radius 77.50 feet (delta 02°17'12") (chord bearing N05°50'32"E) (chord 3.09 feet) for 3.09 feet to a point of tangency; N06°59'08"E for 102.99 feet to a point of curvature; Northerly along an arc of a curve to the left of radius 1,477.00 feet (delta 08°01'55") (chord bearing N02°58'10"E) (chord 206.88 feet) for 207.05 feet to a point of tangency; N01°02'47"W for 108.41 feet to a point of curvature; Northeasterly along an arc of a curve to the right of radius 20.00 feet (delta 89°39'48") (chord bearing N43°47'07"E) (chord 28.20 feet) for 31.30 feet to a point of tangency; N88°37'00"E for 62.27 feet to a point of curvature and Easterly along an arc of a curve to the left of radius 3,201.79 feet (delta 03°12'55") (chord bearing N87°00'33"E) (chord 179.66 feet) for 179.68 feet to the POINT OF BEGINNING

Lots 162-165 and Lots 198-203 (1.60 Acres): BEGINNING at the Northwest corner of said Lot 198 run along the Southerly and Westerly line of line Tract “R-1” of said record plat the following three (3) courses: N88°59'05"E for 304.32 feet to a point of curvature; Southeasterly along an arc of a curve to the right of radius 20.00 feet (delta 90°00'00") (chord bearing S46°00'55"E) (chord 28.28 feet) for 31.42 feet to a point of tangency and S01°00'55"E for 328.80 feet to the Southeast corner of said Lot 165; thence run S88°59'05"W along the Southerly line of said Lot 165 for 148.82 feet to a point on a non-tangent curve; thence run Northeasterly along an arc of a curve to the left of radius 50.00 feet (delta 57°44'49") (chord bearing N27°51'29"E) (chord 48.29 feet) for 50.39 to a point of tangency; thence run N01°00'55"W for 130.72 feet to a point of curvature; thence run Northwesterly along an arc of a curve to the left of radius 50.00 feet (delta 90°00'00") (chord bearing N46°00'55"W) (chord 70.71 feet) for 78.54 feet to a point of tangency; thence run S88°59'05"W for 148.82 feet to an intersection with the Westerly line of said Lot 198; thence run N01°00'55"W along said Westerly line for 125.80 feet to the POINT OF BEGINNING

DETERMINATION TABLE (CONTINUED)

LOT	BLOCK/ SECTION	SUBDIVISION	STREET	**OUTCOME** WHAT IS REMOVED FROM THE SFHA	FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION (NAVD 88)	LOWEST ADJACENT GRADE ELEVATION (NAVD 88)	LOWEST LOT ELEVATION (NAVD 88)
134-141	--	Castalina	--	Property	X (shaded)	--	--	17.5 feet
158, 159 & A	--	Castalina	--	Property	X (shaded)	--	--	17.6 feet

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the FEMA Map Information eXchange (FMIX) toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, Engineering Library, 3601 Eisenhower Ave Ste 500, Alexandria, VA 22304-6426.

Luis V. Rodriguez, P.E., Director
Engineering and Modeling Division
Federal Insurance and Mitigation Administration

Federal Emergency Management Agency
Washington, D.C. 20472

LETTER OF MAP AMENDMENT
DETERMINATION DOCUMENT (REMOVAL)

ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

LOT	BLOCK/ SECTION	SUBDIVISION	STREET	**OUTCOME** WHAT IS REMOVED FROM THE SFHA	FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION (NAVD 88)	LOWEST ADJACENT GRADE ELEVATION (NAVD 88)	LOWEST LOT ELEVATION (NAVD 88)
179-197	--	Castalina	--	Property	X (shaded)	--	--	17.5 feet
233 & 234	--	Castalina	--	Property	X (shaded)	--	--	17.5 feet
78-121	--	Castalina	--	Property	X (shaded)	--	--	17.5 feet

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the FEMA Map Information eXchange (FMIX) toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, Engineering Library, 3601 Eisenhower Ave Ste 500, Alexandria, VA 22304-6426.

Luis V. Rodriguez, P.E., Director
Engineering and Modeling Division
Federal Insurance and Mitigation Administration